



PLACE MINIMUM 12.5' OF AASHTO M288 CLASS 1 WOVEN GEOTEXTILE OVER BEDDING STONE FOR SCOUR PROTECTION AT ALL CHAMBER INLET ROWS

MANHOLE WITH OVERFLOW WEIR

ECCENTRIC HEADER

STORMTECH PREFABRICATED END CAPS

STORMTECH ISOLATOR ROW

STORMTECH CHAMBERS

STORMTECH LLC CONCEPTUAL PLAN DISCLAIMER

THIS STORMTECH CHAMBER SYSTEM LAYOUT WAS PRODUCED TO DEMONSTRATE A BED LAYOUT THAT WILL HANDLE THE DESIGN VOLUME LISTED ABOVE. THE SIZING, FIT AND APPLICABILITY OF THE STORMTECH SYSTEM FOR THIS SPECIFIC PROJECT HAS NOT BEEN DETERMINED. IT IS THE ULTIMATE RESPONSIBILITY OF THE DESIGN ENGINEER TO ASSURE THAT THE STORMWATER SYSTEM DESIGN IS IN FULL COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS. STORMTECH PRODUCTS MUST BE DESIGNED AND INSTALLED IN ACCORDANCE WITH STORMTECH'S MINIMUM REQUIREMENTS. STORMTECH LLC DOES NOT APPROVE PLANS, SIZING, OR SYSTEM DESIGNS. THE DESIGNING ENGINEER IS RESPONSIBLE FOR ALL DESIGN DECISIONS.

* NOTE: CHAMBER SYSTEM DESIGN MUST BE IN ACCORDANCE WITH STORMTECH DESIGN MANUAL

<p>Division: Retention/Recharge Subsurface Stormwater Management™</p>		<p>20 Beaver Road, Suite 104 Wethersfield, CT 06109 Phone: 888-892-2694 Fax: 866-328-8401 www.stormtech.com</p>	
SCALE:	NTS	CHECKED	
DATE:	9/25/2007	ACAD No.	
DRAWN BY:		SHEET	OF
ISOLATOR ROW MANIFOLD DETAIL			

FOR STORMTECH INFORMATION
CALL 1-888-892-2694

© 2007 Stormtech LLC. All rights reserved. Stormtech is a registered trademark of Stormtech LLC.