



- NOTES:**
1. MAX COVER OVER TOP OF PIPE IS 4 FT CONTACT HANCOR IF OTHERWISE GREATER.
  2. GRATE OR LID MUST BE INSTALLED PRIOR TO BACKFILLING

© 2007 HANCOR, INC.

HANCOR, INC. HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO HANCOR. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. HANCOR HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT. NOR HAS HANCOR INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

REV.	DESCRIPTION	BY	DATE	CHK'D	DATE
1	UPDATED DRAWING	TJR	03/13/07	OKS	03/22/05

DRAINTTECH BASIN w/ CORRUGATED PIPE AND ROUND GRATE DETAIL

DRAWING NUMBER: STD-1101B

**HANCOR**

401 OLIVE ST.  
FINDLAY, OHIO 45839

DATE: 03/22/05  
SCALE: NTS  
SHEET: OF