

NOTES:

1. GRATE OR LID MUST BE INSTALLED PRIOR TO POURING CONCRETE OR BACKFILLING

2. FOR NON-TRAFFIC INSTALLATIONS, THE GRATE SHOULD BE RECESSED BELOW GRADE A MINIMUM OF 1/8"

© 2009 HANCOR, INC.

REV.	DESCRIPTION	BY	MM/DD/YY	CHK'D

HANCOR, INC. HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO HANCOR. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. HANCOR HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS HANCOR INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

DRAINTECH PRO+ CHANNEL DRAIN LANDSCAPE (NON-TRAFFIC APPL.)

DRAWING NUMBER: STD-1116A

Hancor
401 OLIVE ST.
FINDLAY, OHIO 45839

DRAWN BY:	TJR
DATE:	03/20/09
CK'D BY:	
SCALE:	NTS
SHEET	OF

S:\AppEng-shared\ADS-Hancor Standard Details\1100 Series - DrainTech_Installation_Details\Hancor\1116A_DrainTech_PRO+_ChannelDrain_Landscape.dwg, Model, 3/20/2009 4:51:03 PM, trader, CutePDF Writer